



Features

- Total NEMA 4/IP 65 compliant (except I/O side)
- Stainless steel enclosure
- Rear OSD
- Anti-reflection glass in front for protection (optional touch panel)
- DC 11~32V wide-range power input



Specifications

LCD	
Display Type	15" TFT-LCD
Max. Resolution	1024x768
Max. Colors	262K
Luminance (cd/m ²)	350
Viewing Angle	H:150° / V:140°
Backlight Lifetime	50,000hrs


System	
Input Signal	RGB
On Screen Display Control	On the rear side
External I/O Port	<ul style="list-style-type: none"> • 1 x DC power input • 1 x VGA • Optional : DVI, S-Video, RCA, touch (RS-232 or USB)

Power Supply	
Power Input	DC 11~32V

Touch Screen	
Type	Analog resistive (optional)
Light Transmission	80%

Mechanical	
Construction	Stainless steel enclosure
IP Rating	IP 65 except I/O side
Mounting	VESA 75x75 Mount
Dimension	398(W)x316(H)x53(D)mm
Net Weight	5.74kgs

Dimension



Unit : mm

Environmental	
Operating Temperature	0~65 °C
Storage Temperature	-20~60 °C
Storage Humidity	10~90% @40 °C non-condensing
Certificate	Meet CE/FCC Class A

Ordering Information	
ADP-1156	15" Stainless steel enclosure LCD display
ADP-1156T	15" Stainless steel enclosure LCD display with touch screen

ICP Electronics Australia Pty Ltd

TEL: 02 9457 6011
sales@icp-australia.com.au
www.icp-australia.com.au

